# AUTHOR INDEX


Abbott, N. J.
The Flammability of Coated Apparel Fabrics, Vol. 3, p. 135

Andrasik, I. J.
Performance of Plasticized Vinyl Films in Drycleaning Solvents, Vol. 3, p. 3

Athey, R. J.
Urethane Coatings for Textile Substrates, Vol. 3, p. 16

Baril, A., Jr.
Electroless Plating of Metallic Coatings on Fabric, Vol. 2, p. 219

Beaulieu, F. J.
Substrates for Coated Apparel Applications, Vol. 2, p. 214

Chance, L. H.
A Flame Retardant for Cotton Based on THPOH and Guanozole, Vol. 2, p. 161

Danna, G. F.
Oxidation of THPOH-$NH_3$ Flame Retardant Cotton Fabrics to Increase Resistance to Weather-Ometer Exposure and Outdoor Line Drying, Vol. 2, p. 174

Drake, G. L., Jr.
A Flame Retardant for Cotton Based on THPOH and Guanozole, Vol. 2, p. 161

Hole, L. G.
Urethane Coated Fabrics, Vol. 3, p. 55

Klump, D. H.
Diversification of Coated Fabric Technology, Vol. 2, p. 196

McSweeney, R. T.
Urethane Coatings for Textile Substrates, Vol. 3, p. 16

Mann, A.
Hot-Melt Coating Techniques of the Bema and the Zimmer Machine, Vol. 3, p. 31

Mayer, P. W.
The Advantages of Polyester for Use in Coated Fabrics, Vol. 3, p. 76

Mazzeno, L. W., Jr.
Oxidation of THPOH-$NH_3$ Flame Retardant Cotton Fabrics to Increase Resistance to Weather-Ometer Exposure and Outdoor Line Drying, Vol. 2, p. 174

Moreau, J. P.
A Flame Retardant for Cotton Based on THPOH and Guanozole, Vol. 2, p. 161

Newton, A.
Fabric Properties Relevant to Artificial Leatherlike Materials, Vol. 3, p. 121

Pacheco, R. J.
The Consumer and Coated Fabrics, Vol. 3, p. 38

Popplewell, D.
Urethane Coated Fabrics, Vol. 3, p. 55

Rice, G. F.
The Performance of Coated Linings in Footwear in the U.K., Vol. 2, p. 147

Sinn, G.
Coating Base for Synthetic Leather Manufacture, Vol. 3, p. 111

Smart, D. A.
Non-Wovens for Shoe Linings, Vol. 2, p. 200

Suskind, S. P.
Man-Made Leather Substrates — Part 1: Nonwoven Assemblies, Vol. 2, p. 187

Taub, B.
Urethane Coated Fabrics for Automotive Upholstery Applications, Vol. 2, p. 135

Thibodeaux, D. P.
Electroless Plating of Metallic Coatings on Fabric, Vol. 2, p. 219

Topping, A. D.
The Critical Slit Length of Pressurized Coated Fabric Cylinders, Vol. 3, p. 96

Trask, B. J.
Oxidation of THPOH-$NH_3$ Flame Retardant Cotton Fabrics to Increase Resistance to Weather-Ometer Exposure and Outdoor Line Drying, Vol. 2, p. 174

Troxler, M. D.
Substrates for Coated Apparel Applications, Vol. 2, p. 214

von Langenthal, W.
Coating Base for Synthetic Leather Manufacture, Vol. 3, p. 111

Wake, W. C.
The Adhesion of Polymers to Fibrous Masses, Vol. 3, p. 84

# AUTHOR INDEX


Abbott, N. J.
The Flammability of Coated Apparel Fabrics, Vol. 3, p. 135

Andrasik, I. J.
Performance of Plasticized Vinyl Films in Drycleaning Solvents, Vol. 3, p. 3

Athey, R. J.
Urethane Coatings for Textile Substrates, Vol. 3, p. 16

Baril, A., Jr.
Electroless Plating of Metallic Coatings on Fabric, Vol. 2, p. 219

Beaulieu, F. J.
Substrates for Coated Apparel Applications, Vol. 2, p. 214

Chance, L. H.
A Flame Retardant for Cotton Based on THPOH and Guanozole, Vol. 2, p. 161

Danna, G. F.
Oxidation of THPOH-$NH_3$ Flame Retardant Cotton Fabrics to Increase Resistance to Weather-Ometer Exposure and Outdoor Line Drying, Vol. 2, p. 174

Drake, G. L., Jr.
A Flame Retardant for Cotton Based on THPOH and Guanozole, Vol. 2, p. 161

Hole, L. G.
Urethane Coated Fabrics, Vol. 3, p. 55

Klump, D. H.
Diversification of Coated Fabric Technology, Vol. 2, p. 196

McSweeney, R. T.
Urethane Coatings for Textile Substrates, Vol. 3, p. 16

Mann, A.
Hot-Melt Coating Techniques of the Bema and the Zimmer Machine, Vol. 3, p. 31

Mayer, P. W.
The Advantages of Polyester for Use in Coated Fabrics, Vol. 3, p. 76

Mazzeno, L. W., Jr.
Oxidation of THPOH-$NH_3$ Flame Retardant Cotton Fabrics to Increase Resistance to Weather-Ometer Exposure and Outdoor Line Drying, Vol. 2, p. 174

Moreau, J. P.
A Flame Retardant for Cotton Based on THPOH and Guanozole, Vol. 2, p. 161

Newton, A.
Fabric Properties Relevant to Artificial Leatherlike Materials, Vol. 3, p. 121

Pacheco, R. J.
The Consumer and Coated Fabrics, Vol. 3, p. 38

Popplewell, D.
Urethane Coated Fabrics, Vol. 3, p. 55

Rice, G. F.
The Performance of Coated Linings in Footwear in the U.K., Vol. 2, p. 147

Sinn, G.
Coating Base for Synthetic Leather Manufacture, Vol. 3, p. 111

Smart, D. A.
Non-Wovens for Shoe Linings, Vol. 2, p. 200

Suskind, S. P.
Man-Made Leather Substrates — Part 1: Nonwoven Assemblies, Vol. 2, p. 187

Taub, B.
Urethane Coated Fabrics for Automotive Upholstery Applications, Vol. 2, p. 135

Thibodeaux, D. P.
Electroless Plating of Metallic Coatings on Fabric, Vol. 2, p. 219

Topping, A. D.
The Critical Slit Length of Pressurized Coated Fabric Cylinders, Vol. 3, p. 96

Trask, B. J.
Oxidation of THPOH-$NH_3$ Flame Retardant Cotton Fabrics to Increase Resistance to Weather-Ometer Exposure and Outdoor Line Drying, Vol. 2, p. 174

Troxler, M. D.
Substrates for Coated Apparel Applications, Vol. 2, p. 214

von Langenthal, W.
Coating Base for Synthetic Leather Manufacture, Vol. 3, p. 111

Wake, W. C.
The Adhesion of Polymers to Fibrous Masses, Vol. 3, p. 84

Wentz, M.
Performance of Plasticized Vinyl Films in Drycleaning Solvents, Vol. 3, p. 3

Yeadon, D. A.
Oxidation of THPOH-$NH_3$ Flame Retardant Cotton Fabrics to Increase Resistance to Weather-Ometer Exposure and Outdoor Line Drying, Vol. 2, p. 174

Zemlin, J. C.
Development of a 100% Solids Urethane Fabric Coating Process — Rheological Problems, Vol. 3, p. 42

## SUBJECT INDEX

Abrasion Problems
The Consumer and Coated Fabrics, Vol. 3, p. 38

Abrasions
Urethane Coated Fabrics, Vol. 3, p. 55

Acoustical Properties
Electroless Plating of Metallic Coatings on Fabric, Vol. 2, p. 219

Adhesion
The Adhesion of Polymers to Fibrous Masses, Vol. 3, p. 84

Apparel
The Flammability of Coated Apparel Fabrics, Vol. 3, p. 135

Artificial Leathers
The Adhesion of Polymers to Fibrous Masses, Vol. 3, p. 84

Artificial Leathers
Coating Base for Synthetic Leather Manufacture, Vol. 3, p. 111

Artificial Leathers
Man-Made Leather Substrates — Part 1: Nonwoven Assemblies, Vol. 2, p. 187

Binders
Non-Wovens for Shoe Linings, Vol. 2, p. 200

Bonded Fibres
Fabric Properties Relevant to Artificial Leatherlike Materials, Vol. 3, p. 121

Calender Coating
Hot-Melt Coating Techniques of the Bema and the Zimmer Machine, Vol. 3, p. 31

Canvas
The Advantages of Polyester for Use in Coated Fabrics, Vol. 3, p. 76

Charge Retention
Electroless Plating of Metallic Coatings on Fabric, Vol. 2, p. 219

Coated Fabrics
The Consumer and Coated Fabrics, Vol. 3, p. 38

Coated Fabrics
Hot-Melt Coating Techniques of the Bema and the Zimmer Machine, Vol. 3, p. 31

Coating
Diversification of Coated Fabric Technology, Vol. 2, p. 196

Coating Machines
Hot-Melt Coating Techniques of the Bema and the Zimmer Machine, Vol. 3, p. 31

Coatings
The Flammability of Coated Apparel Fabrics, Vol. 3, p. 135

Coating Techniques
Development of a 100% Solids Urethane Fabric Coating Process — Rheological Problems, Vol. 3, p. 42

Coating Technology
Coating Base for Synthetic Leather Manufacture, Vol. 3, p. 111

Colouring
Non-Wovens for Shoe Linings, Vol. 2, p. 200

Consumer Problems
The Consumer and Coated Fabrics, Vol. 3, p. 38

Cost Comparisons, Synthetic Linings
The Performance of Coated Linings in Footwear in the U.K., Vol. 2, p. 147

Cotton
Substrates for Coated Apparel Applications, Vol. 2, p. 214

Crack Theory
The Critical Slit Length of Pressurized Coated Fabric Cylinders, Vol. 3, p. 96

Dacron-neoprene
The Critical Slit Length of Pressurized Coated Fabric Cylinders, Vol. 3, p. 96

Diffusion of Plasticizer
Performance of Plasticized Vinyl Films in Drycleaning Solvents, Vol. 3, p. 3

Drycleaning
Performance of Plasticized Vinyl Films in Drycleaning Solvents, Vol. 3, p. 3

Drycleaning Solvents
Performance of Plasticized Vinyl Films in Drycleaning Solvents, Vol. 3, p. 3

Electrical Conductivity
Electroless Plating of Metallic Coatings on Fabric, Vol. 2, p. 219

Escalator Handrails
Diversification of Coated Fabric Technology, Vol. 2, p. 196

Extrusion Coating
Hot-Melt Coating Techniques of the Bema and the Zimmer Machine, Vol. 3, p. 31

Fabric Composites
The Adhesion of Polymers to Fibrous Masses, Vol. 3, p. 84

Fabric Design
Fabric Properties Relevant to Artificial Leatherlike Materials, Vol. 3, p. 121

Fabric Flammability
The Flammability of Coated Apparel Fabrics, Vol. 3, p. 135

Fabric Lamination
Urethane Coated Fabrics for Automotive Upholstery Applications, Vol. 2, p. 135

Fibre Blends
Non-Wovens for Shoe Linings, Vol. 2, p. 200

Filament Nylon
Substrates for Coated Apparel Applications, Vol. 2, p. 214

Flame Retardant
A Flame Retardant for Cotton Based on THPOH and Guanazole, Vol. 2, p. 161

Flame Retardant
Oxidation of THPOH-$NH_3$ Flame Retardant Cotton Fabrics to Increase Resistance to Weather-Ometer Exposure and Outdoor Line Drying, Vol. 2, p. 174

Flame Test
Oxidation of THPOH-$NH_3$ Flame Retardant Cotton Fabrics to Increase Resistance to Weather-Ometer Exposure and Outdoor Line Drying, Vol. 2, p. 174

Flex Cracking
Urethane Coated Fabrics, Vol. 3, p. 55

Flexible Tubings
Diversification of Coated Fabric Technology, Vol. 2, p. 196

Fluorescents
Diversification of Coated Fabric Technology, Vol. 2, p. 196

Footwear
Non-Wovens for Shoe Linings, Vol. 2, p. 200

Footwear
The Performance of Coated Linings in Footwear in the U.K., Vol. 2, p. 147

Fracture Mechanics
The Critical Slit Length of Pressurized Coated Fabric Cylinders, Vol. 3, p. 96

Guanazole
A Flame Retardant for Cotton Based on THPOH and Guanazole, Vol. 2, p. 161

Handbags
The Consumer and Coated Fabrics, Vol. 3, p. 38

Heat Curing
Development of a 100% Solids Urethane Fabric Coating Process — Rheological Problems, Vol. 3, p. 42

Heat Sensitivity
The Performance of Coated Linings in Footwear in the U.K., Vol. 2, p. 147

Hot-Melt Coating
Hot-Melt Coating Techniques of the Berna and the Zimmer Machine, Vol. 3, p. 31

Impregnation Techniques
Man-Made Leather Substrates — Part 1: Nonwoven Assemblies, Vol. 2, p. 187

Industrial Aprons
Diversification of Coated Fabric Technology, Vol. 2, p. 196

Inflatable Products
Diversification of Coated Fabric Technology, Vol. 2, p. 196

Knife Coating
Development of a 100% Solids Urethane Fabric Coating Process — Rheological Problems, Vol. 3, p. 42

Lacquers
Urethane Coatings for Textile Substrates, Vol. 3, p. 16

Leatherlike Materials
Fabric Properties Relevant to Artificial Leatherlike Materials, Vol. 3, p. 121

Linings, Nonwoven
Non-Wovens for Shoe Linings, Vol. 2, p. 200

Linings, Synthetic Coated
The Performance of Coated Linings in Footwear in the U.K., Vol. 2, p. 147

Loss of Plasticizer
Performance of Plasticized Vinyl Films in Drycleaning Solvents, Vol. 3, p. 3

Magnetic Susceptibility
Electroless Plating of Metallic Coatings on Fabric, Vol. 2, p. 219

Markets
Urethane Coatings for Textile Substrates, Vol. 3, p. 16

Metallized Textiles
Electroless Plating of Metallic Coatings on Fabric, Vol. 2, p. 219

Nonwoven
Coating Base for Synthetic Leather Manufacture, Vol. 3, p. 111

Nonwoven Fibers
Man-Made Leather Substrates — Part 1: Nonwoven Assemblies, Vol. 2, p. 187

Nonwoven Linings, Shoe
Non-Wovens for Shoe Linings, Vol. 2, p. 200

Nylon
The Advantages of Polyester for Use in Coated Fabrics, Vol. 3, p. 76

Oxidation
Oxidation of THPOH-$NH_3$ Flame Retardant Cotton Fabrics to Increase Resistance to Weather-Ometer Exposure and Outdoor Line Drying, Vol. 2, p. 174

Performance
Non-Wovens for Shoe Linings, Vol. 2, p. 200

Pigmentation, Urethanes
Urethane Coated Fabrics for Automotive Upholstery Applications, Vol. 2, p. 135

Plasticizer
Performance of Plasticized Vinyl Films in Drycleaning Solvents, Vol. 3, p. 3

Polyester
Substrates for Coated Apparel Applications, Vol. 2, p. 214

Polyester Fabrics
The Advantages of Polyester for Use in Coated Fabrics, Vol. 3, p. 76

Pressurized Cylinders
The Critical Slit Length of Pressurized Coated Fabric Cylinders, Vol. 3, p. 96

Print Cloth
Oxidation of THPOH-$NH_3$ Flame Retardant Cotton Fabrics to Increase Resistance to Weather-Ometer Exposure and Outdoor Line Drying, Vol. 2, p. 174

PVC Coatings
The Performance of Coated Linings in Footwear in the U.K., Vol. 2, p. 147

PVC Fabrics
Urethane Coated Fabrics, Vol. 3, p. 55

Rainwear
Substrates for Coated Apparel Applications, Vol. 2, p. 214

Rayon
Substrates for Coated Apparel Applications, Vol. 2, p. 214

Rheological Characteristics
Development of a 100% Solids Urethane Fabric Coating Process — Rheological Problems, Vol. 3, p. 42

Shoes
The Consumer and Coated Fabrics, Vol. 3, p. 38

Shoes
Non-Wovens for Shoe Linings, Vol. 2, p. 200

Shoes
Urethane Coated Fabrics, Vol. 3, p. 55

Shrinkage of Vinyls
Performance of Plasticized Vinyl Films in Drycleaning Solvents, Vol. 3, p. 3

Soluble Degradation
Oxidation of THPOH-$NH_3$ Flame Retardant Cotton Fabrics to Increase Resistance to Weather-Ometer Exposure and Outdoor Line Drying, Vol. 2, p. 174

Solvent Absorption
Performance of Plasticized Vinyl Films in Drycleaning Solvents, Vol. 3, p. 3

Solventless Urethanes
Development of a 100% Solids Urethane Fabric Coating Process — Rheological Problems, Vol. 3, p. 42

Stainless Steel Fibers
Electroless Plating of Metallic Coatings on Fabric, Vol. 2, p. 219

Stiffening of Vinyls
Performance of Plasticized Vinyl Films in Drycleaning Solvents, Vol. 3, p. 3

Strength Properties
Urethane Coated Fabrics for Automotive Upholstery Applications, Vol. 2, p. 135

Stress Concentration
The Critical Slit Length of Pressurized Coated Fabric Cylinders, Vol. 3, p. 96

Substrates
Diversification of Coated Fabric Technology, Vol. 2, p. 196

Substrates
Man-Made Leather Substrates — Part 1: Nonwoven Assemblies, Vol. 2, p. 187

Substrates
Substrates for Coated Apparel Applications, Vol. 2, p. 214

Tarpaulins
Diversification of Coated Fabric Technology, Vol. 2, p. 196

Tear Strength
The Critical Slit Length of Pressurized Coated Fabric Cylinders, Vol. 3, p. 96

Test Methods, Cotton Flammability
Oxidation of THPOH-$NH_3$ Flame Retardant Cotton Fabrics to Increase Resistance to Weather-Ometer Exposure and Outdoor Line Drying, Vol. 2, p. 174

Test Methods, Fabric Flammability
A Flame Retardant for Cotton Based on THPOH and Guanazole, Vol. 2, p. 161

Textile Substrates
Urethane Coatings for Textile Substrates, Vol. 3, p. 16

Texturing
Non-Wovens for Shoe Linings, Vol. 2, p. 200

Thermal Conductivity
Electroless Plating of Metallic Coatings on Fabric, Vol. 2, p. 219

Thermoset Urethanes
Development of a 100% Solids Urethane Fabric Coating Process — Rheological Problems, Vol. 3, p. 42

Twill
Oxidation of THPOH-$NH_3$ Flame Retardant Cotton Fabrics to Increase Resistance to Weather-Ometer Exposure and Outdoor Line Drying, Vol. 2, p. 174

Tyre Cord
The Adhesion of Polymers to Fibrous Masses, Vol. 3, p. 84

Upholstery
Coating Base for Synthetic Leather Manufacture, Vol. 3, p. 111

Upholstery, Automotive
Urethane Coated Fabrics for Automotive Upholstery Applications, Vol. 2, p. 135

Urethane Binders
Man-Made Leather Substrates – Part 1: Nonwoven Assemblies, Vol. 2, p. 187

Urethane Coatings
Urethane Coatings for Textile Substrates, Vol. 3, p. 16

Urethane Fabrics
Urethane Coated Fabrics, Vol. 3, p. 55

Urethane Lacquers
Urethane Coated Fabrics for Automotive Upholstery Applications, Vol. 2, p. 135

Vacuum Deposition
Electroless Plating of Metallic Coatings on Fabric, Vol. 2, p. 219

Vinyl Films
Performance of Plasticized Vinyl Films in Drycleaning Solvents, Vol. 3, p. 3

Water-Laid Webs
Man-Made Leather Substrates – Part 1: Nonwoven Assemblies, Vol. 2, p. 187

Welder's Curtain
Diversification of Coated Fabric Technology, Vol. 2, p. 196

Work Gloves
Diversification of Coated Fabric Technology, Vol. 2, p. 196